Present and future (NCODA) assimilation in the near real-time Atlantic system

O. M. Smedstad Planning Systems Inc.

J. A. Cummings, H. E. Hurlburt and A. J. Wallcraft
Naval Research Laboratory

W. C. Thacker, H. Kang NOAA

E. P. Chassignet University of Miami

http://hycom.rsmas.miami.edu

HYCOM NOPP GODAE Meeting 27-29 October 2004 RSMAS, Miami, FL

maintaining the data needed, and c including suggestions for reducing	lection of information is estimated to ompleting and reviewing the collect this burden, to Washington Headqu uld be aware that notwithstanding and DMB control number.	tion of information. Send comment larters Services, Directorate for Inf	s regarding this burden estimate ormation Operations and Reports	or any other aspect of the s, 1215 Jefferson Davis	his collection of information, Highway, Suite 1204, Arlington
1. REPORT DATE OCT 2004	2. REPORT TYPE		3. DATES COVERED 00-00-2004		
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER	
Present and future (NCODA) assimilation in the near real-time Atlantic system				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Naval Research Laboratory, Stennis Space Center, MS, 39529				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAII Approved for publ	ABILITY STATEMENT ic release; distribut	ion unlimited			
13. SUPPLEMENTARY NO	TES				
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFIC		17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified	Same as Report (SAR)	21	RESPONSIBLE FERSON

Report Documentation Page


Form Approved OMB No. 0704-0188

Present system

- Running in near real-time
 - . Assimilates the satellite altimeter analysis from the MODAS operational system at the Naval Oceanography Office (NAVOCEANO)
 - . Mean SSH from the 1/12° MICOM (ECMWF)
 - . Vertical projection via the Cooper and Haines technique (1996, JGR)
 - . FNMOC/NOGAPS atmospheric forcing
 - . Relaxation to the MODAS SST analysis
- Automated scripts run the system from the preprocessing of the forcing fields to the post processing of the results
- Participating in the MERSEA model inter-comparison

1/12° ATLANTIC HYCOM SSH

20 October, 2004



Near real-time system

14 day forecast

10 days Wednesday

Analysis wind and thermal forcing Assimilation of MODAS Revert toward

SSH anomaly analysis

Relaxation to MODAS

SST

Forecast wind and thermal forcing

climatological wind and


thermal forcing,

Relaxation to climatologically

corrected SST


http://hycom.rsmas.miami.edu

1/12° Atlantic HYCOM SSH in Gulf Stream region



White/black line is the frontal analysis of MCSST observations performed at NAVOCEANO. Black line represents data more than four days old.


1/12° Atlantic HYCOM SSH in Gulf of Mexico region




White/black line is the frontal analysis of MCSST observations performed at

NAVOCEANO. Black line represents data more than four days old.

Transport sections





Florida Current transport at 27°N



ARGO profiles

http://www.argo.ucsd.edu/







ARGO profiles




11 September 2004





NRL Coupled Ocean Data Assimilation (NCODA)




MVOI - simultaneous analysis 5 ocean variables temperature, salinity, geopotential, velocity (u,v)

GULF OF MEXICO MODEL CONFIGURATION

- Horizontal grid: 1/12° (258 x 175 grid points, 6.5 km spacing on average)
- 18°N to 31°N
- 20 vertical coordinates
- Bathymetry: 5m coastline
- Surface forcing from FNMOC/NOGAPS
- Monthly river runoff
- Nested Boundary:
 relaxation to the 1/12° Atlantic HYCOM T and S,
 U and V along open boundary, (free running in
 these experiments)

1/12° GOM HYCOM MEAN SSH

September 1999 - June 2000




Update HYCOM restart file


- NCODA 3D MVOI analysis on z-grid
 - total field and increments from the first guess (model forecast)
- Use total field and convert from z-space to HYCOM space when updating the restart file, (expt_08.3)
- Use the increments to update T, S (and ρ) in the restart file. Let hybgen move the interfaces, (expt_08.4)
- A new analysis once a week in these experiments

NCODA observations, 17 May 2000






GAC Day GAC Night GAC Rlx Day GOES Day GOES Night LAC Day LAC Night




In situ SST In Situ SST 17 May 00 00Z







Drft Buoy Sea Ice SST Climate




NCODA increments 17 May 2000




NCODA Temperature verification (08.3)



NCODA Temperature verification (08.4) Verification - Sea Surface Temperature 9 km grid





NCODA (08.3)




1/12" HYCOM SSH nowcast (8.3) 20000518 18°N 98″W 8.3°W


NCODA (08.4) 17 May 2000






Present assimilation






NCODA (08.3)




temperature merid.sec. 84.88w May 18, 2000 00Z [08.3H]


NCODA (08.4) 17 May 2000




Present assimilation



18 May 2000







- New spin up of the Atlantic model
 - 5m coastline
 - σ₂*
- Upgrade assimilation
 - NCODA